

# Sape rotative



## Rotary tillers



# SAPE ROTATIVE Rotary tillers

Agricoltura  
su misura



**Serie F0S**  
 HP 15÷30 | cm 15  
 kW 12÷23 | inch 6



**Serie F1S**  
 HP 20÷35 | cm 15  
 kW 15÷36 | inch 6



**Serie F2**  
 HP 30÷55 | cm 18  
 kW 23÷41 | inch 7



**Serie F2S**  
 HP 30÷55 | cm 18  
 kW 23÷41 | inch 7



**Serie F2C**  
 HP 30÷55 | cm 18  
 kW 23÷41 | inch 7



**Serie F2Si**  
 HP 30÷55 | cm 18  
 kW 23÷41 | inch 7



**Serie F25**  
 HP 30÷60 | cm 18  
 kW 23÷45 | inch 7



**Serie F3**  
 HP 40÷65 | cm 22  
 kW 30÷48 | inch 9



**Serie F3C**  
 HP 40÷65 | cm 22  
 kW 30÷48 | inch 9



**Serie F3CSI**  
 HP40÷65  
 kW 30÷48 | cm 22  
 inch 9



**Serie F3SA**  
 HP40÷65  
 kW 30÷48 | cm 22  
 inch 9



**Serie F35C**  
 HP60÷85  
 kW 45÷63 | cm 25  
 inch 10



**Serie F4C**  
 HP 70÷140  
 kW 52÷103 | cm 28  
 inch 11

**Serie F5C**  
 HP 90÷180  
 kW 67÷133 | cm 28  
 inch 11

**Sape rotative**  
 Folding rotary tillers



Trasmisie cu  
 6 angrenaje



**Serie DF5**  
 HP 180÷280  
 kW 133÷206 | cm 28  
 inch 11



**Serie DF6**  
 HP 250÷400  
 kW 67÷133 | cm 30  
 inch 12


# SAPE ROTATIVE Rotary tillers



Model Model	Latime de lucru Working width		Latime totala Overall width		Sape Tines	Greutate Weight
	cm	(inch)	cm	(inch)		
<b>Serie F</b>						
F05 - 085	83	33	95	37	16	120
F05 - 105	103	41	115	45	20	130
F05 - 125	123	48	135	53	24	140
F15 - 085	83	33	95	37	16	140
F15 - 105	103	41	115	45	20	158
F15 - 125	123	48	135	53	24	175
F15 - 145	143	56	155	61	28	190
F2 - 120	118	46	133	52	24	220
F2 - 140	138	54	153	60	28	250
F2 - 160	158	62	173	68	32	270
F2 - 180	178	70	193	76	36	295
F25 - 120	118	46	133	52	24	240
F25 - 140	138	54	153	60	28	270
F25 - 160	158	62	173	68	32	290
F25 - 180	178	70	193	76	36	310
F2C - 120	118	46	133	52	24	260
F2C - 140	138	54	153	60	28	280
F2C - 160	158	62	173	68	32	295
F2C - 180	178	70	193	76	36	310
F25i - 120	118	46	133	52	24	295
F25i - 140	138	54	153	60	28	315
F25i - 160	158	62	173	68	32	340
F25i - 180	178	70	193	76	36	375
F25 - 120	120	47	135	53	36	310
F25 - 140	140	55	155	61	42	335
F25 - 160	160	63	175	69	48	360
F25 - 180	180	71	195	77	54	385
F3 - 140	140	55	157	62	36	325
F3 - 160	160	63	177	70	42	350
F3 - 180	180	71	197	78	48	380
F3 - 200	200	79	217	85	54	410
F3C - 140	140	55	157	62	36	345
F3C - 160	160	63	177	70	42	365
F3C - 180	180	71	197	78	48	397
F3C - 200	200	79	217	85	54	430

Model Model	Latime de lucru Working width		Latime totala Overall width		Sape Tines	Greutate Weight
	cm	(inch)	cm	(inch)		
<b>Serie F</b>						
F3CSi - 140	140	55	157	62	36	420
F3CSi - 160	160	63	177	70	42	440
F3CSi - 180	180	71	197	78	48	465
F3CSi - 200	200	79	217	85	54	480
F3SA - 140	140	55	154	61	36	470
F3SA - 160	160	63	174	69	42	490
F3SA - 180	180	71	194	76	48	515
F3SA - 200	200	79	214	84	54	540
F35C - 160	160	63	177	70	36	520
F35C - 180	180	71	197	78	42	545
F35C - 210	210	83	227	89	48	585
F35C - 230	230	91	247	97	54	640
F35C - 250	250	98	267	105	60	675
F4C - 210	210	83	227	89	48	770
F4C - 230	230	91	247	97	54	800
F4C - 250	250	98	267	105	60	820
F4C - 280	280	110	297	117	66	850
F4C - 300	300	118	317	125	72	900
F5C - 230	230	91	247	97	54	980
F5C - 250	250	98	267	105	60	1170
F5C - 280	280	110	297	117	66	1250
F5C - 300	300	118	317	125	72	1320

<b>Serie DF</b>						
DF5 - 420	422	166	449	177	102+6	2940
DF5 - 460	462	182	489	193	114+6	3100
DF5 - 500	502	198	529	208	126+6	3390
DF5 - 560	562	221	589	232	138+6	3600
DF5 - 600	602	237	629	248	150+6	3900
DF6 - 460	462	182	497	196	108+6	4140
DF6 - 500	502	198	537	211	120+6	4410
DF6 - 560	562	221	597	235	132+6	4720
DF6 - 600	602	237	637	251	144+6	4900
DF6 - 640	642	253	677	267	156+6	5090



S.C. Dealer Italia Srl  
Str. DN 13 Km. 102-400 Loc. Vanatori – Jud. Mures | Tel . 0265.761.248 | e-mail: office@dealeritalia.ro | [www.dealeritalia.ro](http://www.dealeritalia.ro)